

Alabama Veterinary Diagnostic Laboratories
September 2019

ACCESSIONING FEES		Procedure	Fee	Specimen	Comment
Accession Fee, in-state, all cases	Accessioning	\$	10.00	Applied to each in-state case	
Accession Fee, out-of-state, all cases	Accessioning	\$	30.00	Applied to each out-of-state case	
NECROPSY and DISPOSAL		Animal should be kept chilled after death to slow decomposition.		Includes necropsy and related tests; disposal fees apply to animals from out-of-state	
Due to public health and safety concerns, as of November 19, 2012 we will no longer perform cosmetic necropsies or return animal remains.					
		Acc Fee	Procedure Fee		
Companion Animal	Necropsy	\$10/cs	\$ 65	Animal body	Companion mammalian, avian, Camelid, and exotic/other; includes practitioner necropsy
Horses, routine necropsy, each case	Necropsy	\$10/cs	\$ 100	Animal body	Includes EEE test at NVSL if required
Out of State Horses & Livestock routine necropsy, each case	Necropsy	\$30/cs	\$ 300	Animal body	Includes EEE test at NVSL if required (horses)
In-State Zoo/Large Exotic	Necropsy	\$10/cs	\$ 100	Animal body	
Livestock and Poultry, each case		\$10/cs	\$ 25	Animal body	includes practitioner necropsy
Poultry, limited necropsy, each case	Necropsy	\$10/cs	\$ 15	Animal body	
Poultry, Backyard Chickens, each case	Necropsy	\$10/cs	No Charge	Animal body	
Deer, penned	Necropsy	\$10/cs	\$ 65	Animal body	Determine cause of death, includes CWD testing
Deer, wild	Necropsy	\$10/cs	No Charge	Animal body	Determine cause of death
CWD testing	Specimen collection	\$10/cs	\$ 35	Head of animal	test forwarded to subcontracted lab
Wildlife, other (ALW&FF/ ALDCNR) only	Necropsy	\$10/cs	No Charge	Animal body	Determine cause of death; includes rabies if applicable
Out of State Large Exotics/ Zoo Animals, routine necropsy, each case	Necropsy	\$30/cs	\$ 300	Animal body	
Legal & Insurance fee, per case	In addition to other fees		\$ 75	Applicable at any time during case investigation	
Disposal only, no laboratory tests					
Animals 20 lbs. or less	Chemical cremation	\$10/cs	\$ 20		Available Auburn Lab Only
Animals 21 lbs. - 100lbs.	Chemical cremation	\$10/cs	\$ 25		Available Auburn Lab Only
Animals over 100lbs.	Chemical cremation	\$10/cs	\$ 0.35		Available Auburn Lab Only
Horses, per pound	Chemical cremation	\$10/cs	\$ 0.35		Available Auburn Lab Only
Livestock, per pound	Render	\$10/cs	\$ 0.10		Available Auburn Lab Only
Wildlife	Chemical cremation	No Charge	No Charge		Available Auburn Lab Only

Alabama Veterinary Diagnostic Laboratories
September 2019

HISTOPATHOLOGY					
Histopathology - Companion Animals & Equine					
Biopsy, first site	Histopathology	\$10/cs	\$ 35.00	Tissue in buffered formalin	
Additional sites, each			\$ 10.00		
Multiple tissues	Histopathology	\$10/cs	\$ 50.00	Tissue in buffered formalin	
Histopathology - Livestock and Poultry					
In-State, per case	Histopathology	\$10/cs	\$ 10.00	Tissue in buffered formalin	
Out-of-State, up to 3 slides	Histopathology	\$30/cs	\$ 50.00	Tissue in buffered formalin	
Additional slides, each			\$ 10.00		
Histology Services - Investigation					
	Procedure		Fee	Specimen	Comment
H&E slide production, each	Stained histologic slide	\$10/cs	\$ 10.00	Tissue in buffered formalin	
Extra unstained section from same block, each	Slide		\$ 3.00		
Special stain from same block, each	Stained histologic slide		\$ 8.00		
BACTERIOLOGY & MYCOLOGY					
Bacteriology - All Species		Keep samples cold en route to lab. Accession fee applies to each case, not each test.			
Bacteria and Fungi - Routine aerobic culture and sensitivity, up to 3 specimens; screen for pathogens	Culture and sensitivity	\$10/cs	\$ 25	Tissue or swab in sterile container	Includes anaerobes and related testing
FA staining, up to 3 specimens	Stain	\$10/cs	\$ 10	Tissue or swab in sterile container	
Gram stain (only), up to 3 specimens	Stain	\$10/cs	\$ 10	Tissue or swab in sterile container	Included with routine culture
Additional specimens or tests, each	Various	\$10/cs	\$ 10		
Milk samples, culture, each, including mycoplasmas	Culture	\$10/cs	\$ 8	Milk sample in polypropylene or polystyrene tube or container or tube	Sensitivity by request; includes mycoplasma PCR confirmation
Avibacterium paragallinarum (infectious coryza)	PCR, culture	\$10/cs	\$ 15	Swab, sinus exudate, in Whirl-pak or tube	Included with routine culture
Brucella abortus & Brucella spp.	Culture	\$10/cs	\$ 10	Tissue	Included with routine culture; Reportable if positive
Campylobacter fetus	Culture	\$10/cs	\$ 25	Clark's media, prepuccial wash	
Chlamydophyla spp. (Chlamydia)	PCR, cytology	\$10/cs	\$ 15	Liver, spleen, lung, cloacal swab	Avian cases reportable if positive
Dermatophilus sp.	Gram stain	\$10/cs	\$ 10	Skin crusts in sterile container	
Johne's disease (M. paratuberculosis), each	Culture, PCR confirmation	\$10/cs	\$ 30	Feces in Whirl-pak or sterile container	Includes PCR confirmation; Reportable if positive

Alabama Veterinary Diagnostic Laboratories
September 2019

Mycoplasma spp. detection, general primers	PCR, culture	\$10/cs	\$ 15	Swab, respiratory mucus, or lung, in Whirl-pak or sterile container	Cattle and other species
Mycoplasma bovis	PCR	\$10/cs	\$ 15	Swab, respiratory mucus, or lung, in Whirl-pak or sterile container	
Mycoplasma identification by RFLP		\$10/cs	\$ 15	PCR amplicon	Positive samples only
Salmonella, definitive serotyping (NVSL)	Serotyping (NVSL)	\$10/cs	Cost + Shipping	Subcontracted testing	NVSL charges are variable
Bacteriology - Poultry Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
Mycoplasma gallisepticum (MG)	PCR, culture	\$10/cs	\$ 15	Swab, choana, in Whirl-pak or tube	Culture if adequate specimen; Reportable if positive
Mycoplasma synoviae (MS)	PCR, culture	\$10/cs	\$ 15	Swab, choana, in Whirl-pak or tube	Also, synovial fluid; Reportable if positive
Mycoplasma spp. detection, general primers	PCR, culture	\$10/cs	\$ 15	Swab, respiratory mucus, or lung, in Whirl-pak or tube	
Bacteriology - Poultry Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
	Procedure		Fee	Specimen	Comment
Salmonella, environmental, each	Culture, prelim. typing	\$10/cs	\$ 15	Environmental sample	Serotyping by NVSL
Salmonella, definitive ID by serotype	Serotyping (NVSL)		Cost + Shipping	Subcontracted to NVSL	Variable charges from NVSL
Chick culture and serology, per case	Cultures, ELISA	10/cse	\$ 15	Yolk - routine; yolk, meconium Salmonella; lung fungal culture, MG/MS ELISA	
Salmonella, environmental sample collection	Culture, prelim typing	\$10/cs	\$30/hr	Contact laboratory to schedule	Hourly rate, base-to-base
Hatchery culture plates; preparation, incubation, & reading; each	Incubation	10/cse	\$ 2.50	Client pick-up plates at lab; environmental sampling	Includes plate, incubation and reading of plate
VIROLOGY & MOLECULAR DETECTION					
Virology - Companion Animals Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
Virus Isolation in cell culture, each specimen or tissue pool	CPE, HA, EM, FA, PCR	\$10/cs	\$ 25		Includes PCR or FA detection
Canine Adenovirus	FA	\$10/cs	\$ 7.50	Liver, spleen, pancreas, lung	
Canine Coronavirus	FA	\$10/cs	\$ 7.50	Intestine	
Canine Distemper virus	FA	\$10/cs	\$ 7.50	Conjunctiva, lung, brain	
Canine Herpesvirus	FA	\$10/cs	\$ 7.50	Lung, liver, spleen, kidney	
Canine Parvovirus	FA	\$10/cs	\$ 7.50	Intestine	
Feline Calicivirus	FA	\$10/cs	\$ 7.50	Conjunctiva, trachea, lung	
Feline Coronavirus - FIP	FA	\$10/cs	\$ 7.50	Viscera, brain	
Feline Panleukpenia virus	FA	\$10/cs	\$ 7.50	Intestine	
Feline Viral Rhinotracheitis	FA	\$10/cs	\$ 7.50	Conjunctiva, trachea, lung	
Rabies	FA	\$10/cs	\$ -	Brain	Subcontracted test, ADPH
Rotavirus	AC-ELISA	\$10/cs	\$ 10	Intestine, feces	
West Nile Virus	Real-time PCR	\$10/cs	\$ 20	Brain	

Alabama Veterinary Diagnostic Laboratories
September 2019

Virology - Equine					
Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
	Procedure	Fee	Cost + Shipping	Specimen	Comment
Easterin Equine Encephalomyelitis - EEE	PCR (NVSL)	\$10/cs		Brain	Reportable if positive; Subcontracted test; included with equine necropsy fee
Equine Herpes Virus -1, EHV-1	PCR	\$10/cs	\$ 15	Lung, brain, spleen placenta	Reportable if positive
Equine Viral Arteritis - EVA	PCR	\$10/cs	\$ 15	Lung	
Rotavirus	AC-ELISA	\$10/cs	\$ 10	Intestine, feces	
West Nile Virus	Real-time PCR	\$10/cs	\$ 20	Brain	Reportable if positive
Virus Isolation in cell culture, each specimen or tissue pool	CPE, HA, EM, FA, PCR	\$10/cs	\$ 25	Tissue, swabs in viral transport media	Includes PCR or FA detection
Virus Isolation in SPF embryos, each specimen or tissue pool	Lesions, HA, EM, FA, PCR	\$10/cs	\$ 75	Tissue, swabs in viral transport media	Includes PCR or FA detection
Virology - Livestock and Related					
Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
	Procedure	Fee	Cost + Shipping	Specimen	Comment
Bluetongue virus, BT	Nested PCR	\$10/cs	\$ 30	Spleen, Lung, Buffy coat	Reportable if positive
Bovine Coronavirus	FA	\$10/cs	\$ 7.50	Lung, Intestine	
Bovine Respiratory Syncytial Virus - BRSV	PCR	\$10/cs	\$ 15	Lung, respiratory tissues	
Bovine Viral Diarrhea virus, BVD	Nested PCR	\$10/cs	\$ 30	Intestine, spleen, buffy coat, semen	
BVD Ear notch, each ear notch sample	Antigen Capture ELISA		\$ 5	Skin, ear notch	
BVD ear notch collection tubes		\$10/cs	\$ 25	Kit of 50 tubes with transport media	Plus shipping
Contagious Ecthyma - "Orf"	FA	\$10/cs	\$ 7.50	Skin lesion	Reportable if positive
Epizootic Hemorrhagic Disease - EHD	Nested PCR	\$10/cs	\$ 30	Spleen, tissue	Reportable if positive
Infectious Bovine Rhinotracheitis - IBR	PCR	\$10/cs	\$ 15	Lung, respiratory tissues	
Parainfluenza 3, PI-3	FA	\$10/cs	\$ 7.50	Lung, respiratory tissues	
Porcine epidemic diarrhea virus -PED	Real-time PCR	\$10/cs	\$ 20	intestine or feces	Reportable if positive
Rotavirus	Antigen Capture ELISA	\$10/cs	\$ 20	Intestine, feces	
Swine Influenza virus - SIV	Real-time PCR	\$10/cs	\$ 20	Nasal swab in BHI broth	Reportable if positive
Virology - Poultry and Other Avian					
Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
Virus Isolation in cell culture, each specimen or tissue pool	CPE, HA, EM, FA, PCR	\$10/cs	\$ 25	Tissue, swabs in viral transport media	Includes PCR or FA detection
Virus Isolation in SPF embryos, each specimen or tissue pool	Lesions, HA, EM, FA, PCR	\$10/cs	\$ 75	Tissue, swabs in viral transport media	Includes PCR or FA detection
Adenovirus, inclusion body hepatitis	VI & PCR	\$10/cs	\$ 25	Liver, spleen, pancreas	
Astrovirus	PCR	\$10/cs	\$ 15	Small intestine	
Avian Leukosis virus subgroup J	PCR	\$10/cs	\$ 15	Tumor tissue, Liver	
Avian Influenza virus - AI	Real-time PCR, VI	\$10/cs	\$ 20	Pharyngeal swab in BHI broth, resp tissue	NVSL confirmation; reportable if positive

Alabama Veterinary Diagnostic Laboratories
September 2019

Avian Influenza virus - AI	ACE	\$10/cs	\$ 15	Pharyngeal swab	NVSL confirmation; reportable if positive
Avian Paramyxovirus type 1	Real-time PCR, VI	\$10/cs	\$ 20	Pharyngeal swab in BHI broth, resp tissue, brain	
Avian Polyoma Virus	PCR	\$10/cs	\$ 15	Liver, Kidney, Spleen	
Chicken Anemia Virus - CAV	PCR	\$10/cs	\$ 15	Spleen, liver	
Exotic Newcastle Disease -END	Real-time PCR, VI	\$10/cs	\$ 20	Pharyngeal swab in BHI broth, resp tissue, brain	NVSL confirmation; reportable if positive
Infectious bronchitis virus - IBV	VI & PCR	\$10/cs	\$ 75	Trachea, cecal tonsil, kidney, lung	
Laryngotracheitis virus - LTV	VI & PCR	\$10/cs	\$ 25	Trachea and conjunctiva	Reportable if positive
Pox virus	VI	\$10/cs	\$ 25	Lesion	
Parvovirus, intestinal	PCR	\$10/cs	\$ 15	Small intestine	
Reticuloendothelosis virus - REV	PCR	\$10/cs	\$ 15	Tumor tissue	
Reovirus, viral arthritis - VA	VI & PCR	\$10/cs	\$ 25	Tendon and synovial tissues	
Viology - Poultry and Other Avian Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
	Procedure		Fee	Specimen	Comment
Reovirus, intestinal	VI & PCR	\$10/cs	\$ 25	Small intestine	
Rotavirus	PCR	\$10/cs	\$ 15	Small intestine	
West Nile Virus - WNV	PCR	\$10/cs	\$ 20	Brain, heart pooled	Reportable if positive
SEROLOGY					
Serology - Companion Animals Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
Brucella canis	Card	\$10/cs	\$ 12	Serum, 2 ml or more	
Feline infectious peritonitis - FIP	ELISA	\$10/cs	\$ 12	Serum, 2 ml or more	
Feline immunodeficiency and Feline Leukemia viruses - FIV/FLV	SNAP	\$10/cs	\$ 12	Serum, 2 ml or more	
Leptospirosis (panel)	MAT	\$10/cs	\$ 12	Serum, 2 ml or more	5 species of Leptospira tested
Serology - Equine Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
Brucellosis	Card	\$10/cs	\$ 12	Serum, 2 ml or more	Includes confirmatory testing
Eastern Equine Encephalomyelitis - EEE	IgM ELISA	\$10/cs	\$ 12	Serum, 2 ml or more	Reportable if positive
West Nile virus - WNV	IgM ELISA	\$10/cs	\$ 12	Serum, 2 ml or more	Reportable if positive
Equine Herpes Virus - 1 EHV-1	SN	\$10/cs	\$ 12	Serum, 2 ml or more	Reportable if positive
Equine Infectious Anemia - EIA					All EIA tests reportable if positive
Coggin's test, private owner, each	AGID	\$ -	\$ 8	Serum, 2 ml or more	No accession fee; includes confirmatory testing;
Coggin's Test, stock yard	AGID	\$ -	\$ 3	Serum, 2 ml or more	No accession fee; includes confirmatory testing
Coggin's test faxing fee, 1-3 reports		\$ -	\$ 5		Additional multiples of 1-3 rpts @\$5.00
Equine Viral Arteritis - EVA	SN	\$10/cs	\$ 12	Serum, 2 ml or more	
Leptospirosis (panel)	MAT	\$10/cs	\$ 12	Serum, 2 ml or more	5 species of Leptospira tested

Alabama Veterinary Diagnostic Laboratories
September 2019

Serology - Livestock & Related					
Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
Anaplasmosis	C-ELISA	\$10/cs	\$ 2	Serum, 2 ml or more	Reportable if positive
Bovine leukosis - BLV	AGID	\$10/cs	\$ 2	Serum, 2 ml or more	
Bluetongue - BT	AGID	\$10/cs	\$ 2	Serum, 2 ml or more	Reportable if positive
Bovine Respiratory Syncytial Virus - BRSV	SN	\$10/cs	\$ 2	Serum, 2 ml or more	
Bovine Viral Diarrhea - BVD	SN	\$10/cs	\$ 2	Serum, 2 ml or more	
Brucellosis	RAP, others	\$10/cs	\$ 2	Serum, 2 ml or more	Reportable if positive
Caprine Arthritis & Encephalitis - CAE	AGID	\$10/cs	\$ 2	Serum, 2 ml or more	
Epizootic Hemorrhagic Disease - EHD	AGID	\$10/cs	\$ 2	Serum, 2 ml or more	Reportable if positive
IgG - Failure Passive Transfer	Immuno diffusion	\$10/cs	\$ 2	Serum, 2 ml or more	
Infectious Bovine Rhinotracheitis - IBR	SN	\$10/cs	\$ 2	Serum, 2 ml or more	
Johne's (M. paratuberculosis)	ELISA	\$10/cs	\$ 2	Serum, 2 ml or more	Reportable if positive
Leptospirosis (panel)	MAT	\$10/cs	\$ 2	Serum, 2 ml or more	
Neospora	ELISA	\$10/cs	\$ 2	Serum, 2 ml or more	
Parainfluenza -3, PI-3	SN	\$10/cs	\$ 2	Serum, 2 ml or more	
Pseudorabies	ELISA	\$10/cs	\$ 2	Serum, 2 ml or more	
Serology - Poultry					
Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
	Procedure		Fee	Specimen	Comment
Infectious bronchitis	ELISA	\$10/cs	\$ 1.65	Serum, 1 ml or more	
Newcastle	ELISA	\$10/cs	\$ 1.65	Serum, 1 ml or more	
Infectious bursal disease	ELISA	\$10/cs	\$ 1.65	Serum, 1 ml or more	
Reovirus	ELISA	\$10/cs	\$ 1.65	Serum, 1 ml or more	
Chicken anemia virus	ELISA	\$10/cs	\$ 1.65	Serum, 1 ml or more	
Mycoplasma - MG & MS/serum	ELISA	\$10/cs	\$ 1.65	Serum, 1 ml or more	
Mycoplasma - MG & MS/serum	Rapid Plate Agglutination	\$10/cs	\$ 1.10	Serum, 1 ml or more	
Mycoplasma - MG & MS/serum	HI	\$10/cs	\$ 1.10	Serum, 1 ml or more	Reportable if positive
Salmonella pullorum, per test	Plate agglutination	\$10/cs	\$ 0.55	Serum, 1 ml or more	Confirmatory testing required
Salmonella pullorum, per test	Tube agglutination	\$10/cs	\$ 1.10	Serum, 1 ml or more	Reportable if positive
Salmonella pullorum, per test	Micro agglutination	\$10/cs	\$ 1.10	Serum, 1 ml or more	Reportable if positive
Avian Influenza, per test, each	AGID or ELISA	\$10/cs	\$ 1.50	Serum, 1 ml or more	Reportable if positive
Avian Influenza, NPIP Processing Program; per case (11 samples/case)	ELISA	\$10/cs	\$ 13.00	Serum, 1 ml or more	Reportable if positive
PARASITOLOGY					
Keep samples cold en route to lab. Accession fee applies to each case, not each test.					
Fecal flotation, per test	Microscopic exam	\$10/cs	\$ 4	Feces	
Livestock & Poultry, per test	Microscopic exam	\$10/cs	\$ 4	Feces	
Direct fecal smear	Microscopic exam	\$10/cs	\$ 4	Feces	

Alabama Veterinary Diagnostic Laboratories
September 2019

Kaplan Lab McMaster's Egg Count	Microscopic exam	\$10/cs	\$ 6	Feces	
McMaster's Egg Count	Microscopic exam	\$10/cs	\$ 6	Feces	
Cryptosporidium	Auramine O stain	\$10/cs	\$ 10	Feces	
Trichomonas TF Transit Tube	PCR	\$10/cs	\$ 30	Prepuccial wash, TF Transit Tube	Contact laboratory for TF Transit Tube; Do not send on ice pack nor put in the refrigerator

TOXICOLOGY

Anticoagulants	HPLC	\$10/cs	\$ 80	Liver, bait	Panel of six anticoagulants
Ash, bone	Gravimetric	\$10/cs	\$ 40	Bone	
Ash, feed	Gravimetric	\$10/cs	\$ 20	Feed	
Cyanide	Screen/UV VIS	\$10/cs	\$ 30	Bait, liver, stomach contents 100 gm needed	Freeze immediately
Ethylene Glycol	GC	\$10/cs	\$ 30	Liver or bait;	Formalin fixed kidney for pathology
Feed or Hay, visual examination	Visual exam	\$10/cs	\$ 20	Feed or Hay	Blister beetles, other visible adulterant

Toxicology

	Procedure		Fee	Specimen	Comment
For all Toxicology tests on feed samples please send at least 1 quart sized bag per test requested					
Ionophores	HPLC	\$10/cs	\$ 50	Feed, dry only	Panel(monensin, salinomycin, Narasin); lasalocid by request
Insecticides, screen	Bioassay	\$10/cs	\$ 50	Stomach content; environmental sample	
Insecticides	GC, GCMS, HPLC	\$10/cs	\$ 50	Stomach content, environmental sample	
Metals					
Arsenic	AA	\$10/cs	\$ 10	Serum, kidney, stomach/rumen content	
Cadmium	AA	\$10/cs	\$ 10	Liver, environmental sample	
Calcium	AA	\$10/cs	\$ 10	Serum, bone, feed	serum-remove from clot and freeze
Chromium	AA	\$10/cs	\$ 10	Liver, environmental sample	
Copper	AA	\$10/cs	\$ 10	Serum, liver	serum-remove from clot and freeze
Iron	AA	\$10/cs	\$ 10	Serum, liver	serum-remove from clot and freeze
Lead	AA	\$10/cs	\$ 10	Blood purple top, kidney	
Magnesium	AA	\$10/cs	\$ 10	Serum, bone, feed, vitriuous humor	serum-remove from clot and freeze
Phosphorus	UV VIS	\$10/cs	\$ 10	Serum, bone, feed	serum-remove from clot and freeze
Potassium	AA	\$10/cs	\$ 10	Feed, bone	
Selenium, blood & liver	AA	\$10/cs	\$ 20	Liver, heparinized blood, green top tube	
Selenium, feed	AA	\$10/cs	\$ 50	Feed	
Zinc	AA	\$10/cs	\$ 10	Serum-royal blue top tube, liver	serum-remove from clot and freeze
Mycotoxins - Aflatoxin B1, B2, G1, G2	HPLC, other	\$10/cs	\$ 40	Feed	at least 1 quart sized bag

Alabama Veterinary Diagnostic Laboratories
September 2019

Mycotoxins - Fumonisin B1	HPLC, other	\$10/cs	\$ 40	Feed	at least 1 quart sized bag
Mycotoxins - Deoxynivalenol	HPLC, other	\$10/cs	\$ 40	Feed	at least 1 quart sized bag
Mycotoxins - Ochratoxin	HPLC, other	\$10/cs	\$ 40	Feed	at least 1 quart sized bag
Nitrates, hay	Test strip	\$10/cs	\$ 20	Hay	
Nitrates, ocular fluid, Serum	Test strip	\$10/cs	\$ 5	Anterior chamber- aqueous humor, serum	serum-remove from clot and freeze
pH		\$10/cs	\$ 10	Stomach content, rumen fluid; environmental sample	
Salt (sodium chloride)	Test strip	\$10/cs	\$ 5	Feed	Based on chloride
Strychnine	GCMS	\$10/cs	\$ 30	Stomach content, bait, liver	
Urolith analysis	Qualitative	\$10/cs	\$ 30	Urolith	

APIARY

Africanized Honey Bee, each	Morphometric	\$10/cs	\$ 2.00	100 bees in 70% isopropyl alcohol	Reportable if positive
American Foulbrood	Microscopic exam	\$ -	\$ -	100 bees in 70% isopropyl alcohol	Destruction of hive if positive
Nosema	Microscopic exam	\$10/cs	\$ 2.00	100 bees in 70% isopropyl alcohol	

REFERRAL LABORATORY TESTING

For tests not currently offered at AVDL

Outside Laboratory Services (Referred laboratory)		\$10/cs	Cost + Shipping	Fee passed through to client or billed directly from referral lab except in the case of necropsies
---	--	---------	--------------------	--